# WP7 Task 3 Current Activities

#### —A Warm-Up—

#### Peter Steinbach<sup>1</sup>, Felicita Purnama Dewi Gernhardt <sup>1</sup>

<sup>1</sup>Helmholtz-Zentrum Dresden-Rossendorf, Core Facility for Digital Infrastructure and Computing

#### 11th October 2021



Member of the Helmholtz Association

P. Steinbach et al. | FWCC | http://www.hzdr.de



# Adopt new algorithms and technologies for lossless and lossy data compression

- Looking for collaborators!
- hired RSE/data scientist
- started to look at first datasets





4 D b

Member of the Helmholtz Association P. Steinbach et al. | FWCC | http://www.hzdr.de

#### Data prototype: ROFEX



- Ultrafast electron beam X-ray computed tomography
- non-invasive investigation of dynamic processes

- electron beam is focussed towards a circular target
- periodically deflected with high frequency

#### **ROFEX** details



one timepoint:  $256 \times 256 \times 12500$  of uint16 voxel intensities

- **ROFEX-III** raw data:  $\approx 2 \ GByte/s$
- one measurement campaign:
   25-50 samples of 15 s each
- per year: max 10 campaigns 15 TB/year
- reconstructed data  $\approx$  raw data
- reconstructed data as fxv File Format



4 D b

# Lossy Experiments: LibAPR<sup>1</sup>

# https://github.com/AdaptiveParticles/LibAPR

- Library for producing and processing on the Adaptive Particle Representation (APR)
- APR replaces pixels with particles
- Particles are a generalization of pixels:
  - Points in space that carry intensity
  - Can be places wherever image content requires
  - May have different sizes in different parts of the image (size define resolution)

<sup>1</sup>possible alternatives: https://www.computationalimaging.org/publications/acorn/



### **ROFEX: rotating shovel**

# https://github.com/AdaptiveParticles/LibAPR

- Library for producing and processing on the Adaptive Particle Representation (APR)
- APR replaces pixels with particles
- Particles are a generalization of pixels:
  - Points in space that carry intensity
  - Can be places wherever image content requires
  - May have different sizes in different parts of the image (size define resolution)



#### LibAPR on ROFEX: chaos is troubling

#### **PyLibAPR - Compression**

	N		• • •	X	
Slice: 513/1024, 256x236 x=5, y=248, z=512, value=0 gradient ti signa thr intensity t	Use Parameters hereshold: 0.0 heresh	Silder Max 2000.0 \$ 15000.0 \$ 10000.0 \$	Silce: 513/1024, 256x256 x=126, y=254, z=512, value=48410 gradient threshol sigma threshold intensity threshol	W           Use Parameters           adi 1286.5           13297.3           adi 6432.4	Slider Max 2 2000.0 \$ 1 15000.0 \$ 1 0000.0 \$

#### Size of APR file: 55.1MB



< ---->

#### LibAPR on ROFEX: intensities

#### **PyLibAPR - Decompression**









## LibAPR on ROFEX: Current Status of Lossy Compression

- currently working with downstream pipeline
- need to find metrics/observables/checks that show how we broke the dataset
- LibAPR = part of a pipeline
- how to encode pipeline?
  - software: hdf5 vs zarr vs custom
  - data curation: which format will exist in 5-10-15 years?
  - decompress pipeline on any OS



#### Talking about Datasets?

#### Challenges

- bridging the communication gap: RSE / data scientists <-> domain scientist
- clearing out misconceptions, expectations and reinventions
- identify domain specific terminology

#### Advantages

LEAPS community has datasets available: https://zenodo.org/record/4558708#.YMhzwSaxVrM



4 D b

## Mini Data-Sheets<sup>2</sup> by Felicata Gernhardt



<sup>2</sup>inspired by https://arxiv.org/abs/1803.09010



4 E b

P. Steinbach et al. | FWCC | http://www.hzdr.de

Page 10/11



- started to work on datasets close to us (local, Expands dataset)
- technology, methods and social challenges
- identification of downstream goals/quality/performance crucial

# Questions, Comments or Feedback ?! Welcoming collaborators!



4 D b

Member of the Helmholtz Association P. Steinbach et al. | FWCC | http://www.hzdr.de